

Notified Body pursuant to the Construction Products Regulation  
Permission № CPR-26-NB2765/03.05.2018 of  
Ministry of Regional Development and Public Works

# Certificate of Conformity of the Factory Production Control

№ 2765-CPR-0013

In compliance with Regulation (EU) № 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

## System Chimney Products

(for list of products see Annex I to 2765-CPR-0013 that is an inseparable part of this certificate)

Declared essential characteristic: Gas tightness; Intended use – single and double wall metal system chimney products, essential characteristics and their performances are according to Annex ZA.1 of the applicable standard and declared by the manufacturer

placed on the market under the name of

**Kapella Baca İnşaat Sanayi Ticaret Limited Şirketi**

**29 Ekim Mahallesi 10002. Sok. No:16 Menemen / İzmir – Turkey**

and produced in the manufacturing plant

**Kapella Baca İnşaat Sanayi Ticaret Limited Şirketi**

**29 Ekim Mahallesi 10002. Sok. No:16 Menemen / İzmir – Turkey**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 1856-1:2009**

under system 2+ are applied and that

**the factory production control is assessed to be in conformity with the applicable requirements**

This certificate was first issued on 22.06.2018 and will remain valid until 06.07.2022 or neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

06.07.2021

Manager of SZUTEST Ltd

Asen Hristov

The validity of certificate can be traced on <http://public.szutest.com.tr/Certificate/Index>

**The certificate will be reissued each year after annual surveillance audit**

**SZUTEST LTD**

Str. Dobur Yunak 6, Sofia 1421, Bulgaria

[szutest.com](http://szutest.com)





Notified Body pursuant to the Construction Products Regulation  
Permission № CPR-26-NB2765/03.05.2018 of  
Ministry of Regional Development and Public Works

# Certificate of Conformity of the Factory Production Control

№ 2765-CPR-0013

## Annex I - List of products

Description	Designation
Single wall metal system chimney products: Internal Wall Material: stainless steel №1.4404 (316L) Thicknesses: 0,5 mm – 3,0 mm Pressure Type: Positive Diameters: ø100 – ø1200	SW-T160-P1-W-Vm-L50(050-300)-O150 SW-T160-P1-W-Vm-L50(050-300)-O225 SW-T160-P1-W-Vm-L50(050-300)-O300 SW-T160-P1-W-Vm-L50(050-300)-O600
Single wall metal system chimney products: Internal Wall Material: stainless steel №1.4404 (316L) Thickness: 0,5 mm – 3,00 mm Pressure Type: Negative Diameters: ø100 – ø1200	SW-T250-N1-W-Vm-L50(050-300)-O150 SW-T250-N1-W-Vm-L50(050-300)-O225 SW-T250-N1-W-Vm-L50(050-300)-O300 SW-T250-N1-W-Vm-L50(050-300)-O600
Double wall metal system chimney products: External Wall Material: Galvanized Metal Thickness: 0,5 mm Internal Wall Material: stainless steel №1.4404 (316L) Thicknesses: 0,5 mm – 3,0 mm Insulation: stonewool Thicknesses: 30 mm – 50 mm Pressure Type: Negative Diameters: ø100 – ø1200	DW-T400-N1-W-Vm-L50(050-300)-O120 DW-T400-N1-W-Vm-L50(050-300)-O180 DW-T400-N1-W-Vm-L50(050-300)-O240 DW-T400-N1-W-Vm-L50(050-300)-O480
Double wall metal system chimney products: External Wall Material: stainless steel №1.4301 (304) Thickness: 0,5 mm Internal Wall Material: stainless steel №1.4404 (316L) Thicknesses: 0,5 mm – 3,0 mm Insulation: stonewool Thicknesses: 30 mm – 50 mm Pressure Type: Negative Diameters: ø100 – ø1200	DW-T400-N1-W-Vm-L50(050-300)-O120 DW-T400-N1-W-Vm-L50(050-300)-O180 DW-T400-N1-W-Vm-L50(050-300)-O240 DW-T400-N1-W-Vm-L50(050-300)-O480
Double wall metal system chimney products: External Wall Material: stainless steel №1.4016 (430) Thickness: 0,5 mm Internal Wall Material: stainless steel №1.4404 (316L) Thicknesses: 0,5 mm – 3,0 mm Insulation: stonewool Thicknesses: 30 mm – 50 mm Pressure Type: Negative Diameters: ø100 – ø500	DW-T400-N1-W-Vm-L50(050-300)-O120 DW-T400-N1-W-Vm-L50(050-300)-O180 DW-T400-N1-W-Vm-L50(050-300)-O240 DW-T400-N1-W-Vm-L50(050-300)-O480

06.07.2021

The validity of certificate can be traced on <http://public.szutest.com.tr/Certificate/Index>

The certificate will be reissued each year after annual surveillance audit.

Page 1 / 2



Notified Body pursuant to the Construction Products Regulation  
Permission № CPR-26-NB2765/03.05.2018 of  
Ministry of Regional Development and Public Works

# Certificate of Conformity of the Factory Production Control

## № 2765-CPR-0013

<p>Double wall metal system chimney products: External Wall Material: Aluminium (Al) Thickness: 0,5 mm Internal Wall Material: stainless steel №1.4404 (316L) Thicknesses: 0,5 mm – 3,0 mm Insulation: stonewool Thicknesses: 30 mm – 50 mm Pressure Type: Negative Diameters: ø100 – ø1200</p>	<p>DW-T400-N1-W-Vm-L50(050-300)-O120 DW-T400-N1-W-Vm-L50(050-300)-O180 DW-T400-N1-W-Vm-L50(050-300)-O240 DW-T400-N1-W-Vm-L50(050-300)-O480</p>
<p>Double wall metal system chimney products: External Wall Material: stainless steel №1.4016 (430) Thickness: 0,5 mm Internal Wall Material: stainless steel №1.4404 (316L) Thicknesses: 0,5 mm – 3,0 mm Insulation: Stonewool Thicknesses: 30 mm – 50 mm Pressure Type: Positive Diameters: ø100 – ø1200</p>	<p>DW-T160-P1-W-Vm-L50(050-300)-O150 DW-T160-P1-W-Vm-L50(050-300)-O225 DW-T160-P1-W-Vm-L50(050-300)-O300 DW-T160-P1-W-Vm-L50(050-300)-O600</p>

**Placed on the market under the name of:** Kapella Baca İnşaat Sanayi Ticaret Limited Şirketi  
**Produced in the manufacturing plant:** 29 Ekim Mahallesi 10002. Sok. No:16 Menemen / İzmir – Turkey

06.07.2021

The validity of certificate can be traced on <http://public.szutest.com.tr/Certificate/Index>

The certificate will be reissued each year after annual surveillance audit.

Page 2 / 2



Notified Body pursuant to the Construction Products Regulation  
Permission № CPR-26-NB2765/03.05.2018 of  
Ministry of Regional Development and Public Works

# Certificate of Conformity of the Factory Production Control № 2765-CPR-0014

In compliance with Regulation (EU) № 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

## Flue and air supply ducts

Declared essential characteristic: Gas tightness

Products: DW-N1-Vm-L50040 and DW-P1-Vm-L50040 with diameters between  $\varnothing 80$  mm to  $\varnothing 300$  mm  
Intended use – for room sealed appliances, essential characteristics and their performances are according to Annex ZA.1 of the applicable standard and declared by the manufacturer

placed on the market under the name of

**Kapella Baca İnşaat Sanayi Ticaret Limited Şirketi**

**29 Ekim Mahallesi 10002. Sok. No:16 Menemen / İzmir – Turkey**

and produced in the manufacturing plant

**Kapella Baca İnşaat Sanayi Ticaret Limited Şirketi**  
**29 Ekim Mahallesi 10002. Sok. No:16 Menemen / İzmir – Turkey**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 14989-2:2007**

under system 2+ are applied and that

**the factory production control is assessed to be in conformity with the applicable requirements**

This certificate was first issued on 22.06.2018 and will remain valid until 06.07.2022 or neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

06.07.2021

Manager of SZUTEST Ltd

Asen Hristov

The validity of certificate can be traced on <http://public.szutest.com.tr/Certificate/index>

The certificate will be reissued each year after annual surveillance audit

